



AdvanceGuard™ EJC200

Product Data Sheet

www.chemadvances.com

Product Description

AdvanceGuard EJC200 is a biodegradable cleaner for cleaning engine cooling jackets, tube & shell heat exchangers on stationary engines and gas compressors, heat transfer systems, and radiator cooling systems.

AdvanceGuard EJC200 is a concentrated, slightly acidic pH solution that removes rust, mineral scale, and corrosion by-products from most heat transfer systems. **AdvanceGuard EJC200** is safe for cleaning multi-metal systems containing carbon steel, copper, and aluminum.

Typical Physical Properties

Form@70°F	Green Liquid
Appearance	Clear Solution
Odor	Mild Ammonia + Surfactant
Flash Point, °F (TCC)	>200
Density, (lbs/gal)	9.92 (typical)
Pour Point, °F	17
pH, (10% Solution)	3.5 - 4.0

Application Information

AdvanceGuard EJC200 should be diluted at a ratio ranging from 5% to 10% of circulating liquid volume. Activity is relative to the degree of fouling within the system. In all cases, **AdvanceGuard EJC200** should be heated to a temperature between 160°F and 180°F and circulated throughout the system for optimal results. Circulation time varies with each application. (Refer to **AdvanceGuard EJC200** Cleaning Guide)

Handling & Precautions

AdvanceGuard EG50 is available in 5-gal buckets, 55-gallon drums, and 275-gal one-way tote tanks.

AdvanceGuard EG50 is an industrial chemical and should only be handled by those persons who have read and are familiar with the handling precautions provided in the product's safety data sheet.

1424 S Hugh Wallis Rd., Lafayette, Louisiana 70508 • www.chemadvances.com

Recommendations given in this bulletin are based on tests believed to be reliable. However, the use of the information is beyond the control of Chem Advances, LLC and no guarantee, expressed or implied is made to the results obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage from the misuse of the product as such, or in combination with other materials. This bulletin is not to be taken as a license to operate under or recommendation to infringe any patent.